0/662 202	SANDY ET AL.
xaminer	Art Unit
JIT G. PATEL	2664
s on the cover sheet with the co R REMAINS) CLOSED in this apportant communication	
xaminer.	Ajit Patel
this communication to file a reply IT of this application.  Id. Note the attached EXAMINER reason(s) why the oath or declarate submitted.  Is Patent Drawing Review (PTO-mendment / Comment or in the Comment or i	national stage application from the complying with the requirements  'S AMENDMENT or NOTICE OF tion is deficient.  948) attached  Office action of
(c)) should be written on the drawing to 37 CFR 1.121(	
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.	
6. ☐ Interview Summary Paper No./Mail Dat 7. ☐ Examiner's Amendr	te
	Son the cover sheet with the core R REMAINS) CLOSED in this apporter appropriate communication (TS. This application is subject to ad MPEP 1308.  Examiner.  The state of the

Application/Control Number: 10/662,202 Page 2

Art Unit: 2664

1. The following is an examiner's statement of reasons for allowance: The prior art of the record fails to disclose N number of payload interfaces, wherein each of the N number of payload interfaces is coupled to interface with one of a plurality of payload slots, wherein the N number of payload interfaces are coupled to the switch configuration such that a latency function is minimized for the switch configuration and a set of N payload module configurations, and wherein the set of N payload module configurations is characterized by a sequential addition of a payload module into each of the plurality of payload slots in combination of other limitations recited in claims 1,9 and 17.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to AJIT G. PATEL whose telephone number is 571-272-3140. The examiner can normally be reached on MONDAY-THURSDAY.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wellington Chin can be reached on 571-272-3134. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/662,202 Page 3

Art Unit: 2664

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ajit Patel Primary Examiner

AP